

## **IN THE CLAIMS**

This listing of claims will replace all prior versions, and listings, of claims in the application. An identifier indicating the status of each claim is provided.

### Listing of Claims

1. (Currently Amended) An information-transmitting method for transmitting program guide information, said method comprising the steps of:

processing a plurality of commercial information which corresponds to said program guide information and which is automatically displayed for a single program column or a plurality of program columns on a program guide screen in a receiver and is transmitted together with said program guide information;

wherein, when a cursor is moved onto a program of a program column of the program guide screen, each of said commercial information provided by a commercial information sponsor of the program displayed at each program column is displayed successively in a single area of the display, shifted temporally from one another; and

selectively picking program content data from a plurality of program content regions and combining the selectively picked program content data from said plurality of program content regions with transmitted screen layout data and previously stored standard screen layout data to create said program guide screen;

wherein the program guide screen further includes a sound output area for controlling the sound output of the commercial information, and

wherein said program content data includes at least three types of data that include modifiable data, fixed data and comparatively large-sized data; and

wherein the modifiable data includes a broadcast schedule of a program and a first reference number to the fixed data, the fixed data includes a name of the program, a second reference number to the modifiable data, and a third reference number to the comparatively large-sized data, and the comparatively large-sized data includes sound data and video data of a commercial, and

wherein said selectively picked program content data are categorized in at least two types of data with different structures and formats, and

wherein a plurality of commercials are successively displayed on a same program guide screen that displays program details for a single program, and

wherein the commercial information includes a remote network server address information.

2. (Original)           The information transmitting method according to claim 1, wherein said commercial information includes at least image data.

3. (Original)           The information transmitting method according to claim 2, wherein said commercial information further includes sound data.

4. (Original)                    The information transmitting method according to claim 1, wherein said commercial information further includes address information of a computer which provides the detailed information of said commercial.

5. (Previously Presented)                    The information transmitting method according to claim 1, wherein said program guide information is composed of a plurality of hierarchical levels in accordance with the data size, the first hierarchical level having a small amount of data includes identification information for identifying said commercial information and the second hierarchical level having a large amount of data including identification information for identifying said commercial information and the actual commercial information.

6. (Currently Amended)                    A receiving apparatus for receiving a signal including commercial information and electronic program guide information, said receiving apparatus comprising:

processor for displaying a plurality of commercial information in a part of a display area and an electronic program guide screen including program columns corresponding to a plurality of programs based on the received electronic program guide information;

wherein, when a cursor is moved onto a program of a program column of said program guide screen, said processor performs display processing to automatically and successively in a single area of the display, being shifted temporally from one another, for a single program column or a plurality of program columns a plurality of commercial information provided by a

commercial information sponsor of the program displayed at each program column in said part of the display area on said electronic program guide screen; and

program guide processing section for selectively picking program content data from a plurality of program content regions and combining the selectively picked program content data from said plurality of program content regions with transmitted screen layout data and previously stored standard screen layout data to create said program guide screen;

wherein the display area further includes a sound output area for controlling the sound output of the commercial information, and

wherein said program content data includes at least three types of data that include modifiable data, fixed data and comparatively large-sized data; and

wherein the modifiable data includes a broadcast schedule of a program and a first reference number to the fixed data, the fixed data includes a name of the program, a second reference number to the modifiable data, and a third reference number to the comparatively large-sized data, and the comparatively large-sized data includes sound data and video data of a commercial, and

wherein said selectively picked program content data are categorized in at least two types of data with different structures and formats,

wherein a plurality of commercials are successively displayed on a same program guide screen that displays program details for a single program, and

wherein the processor displays a remote network server address of the commercial information sponsor and enables a user to select the remote network server address and, in response to said selection, display detailed information of the commercial information.

7. (Previously Presented)                      The receiving apparatus according to claim 6,  
comprising:  
specifying section for specifying a commercial information displayed on a part of said  
program guide screen; and  
communication section for communicating with an external computer through a computer  
network,  
wherein said processor picks up the detailed information of said commercial information  
from the external computer through said communication section to display the picked up detailed  
information, based on the address information included in said commercial information, when  
said commercial information is specified by said specifying section.

8. (Previously Presented)                      The receiving apparatus according to claim 6,  
wherein  
said processor, when one program column is selected on said electronic program guide  
screen, performs display processing to display a program details screen showing in detail the  
program corresponding to the program column selected and to sequentially display plural items  
of commercial information included in the program in a part of the display area on said program  
details screen.

9. (Previously Presented)                      The receiving apparatus according to claim 8,  
wherein said processor, when commercial information being displayed in said part of the display

area on said program details screen is designated, performs display processing to display a commercial details screen showing in detail said designated commercial information.

10. (Previously Presented)                      The receiving apparatus according to claim 6, wherein said processor, when commercial information being displayed in said part of the display area on said electronic program guide screen is designated, performs display processing to display a commercial details screen showing in detail said commercial information designated.

11. (Previously Presented)                      The receiving apparatus according to claim 6, wherein said commercial information is commercial information of sponsors for providing said programs.

12. - 13. (Canceled)

14. (Previously Presented)                      The receiving apparatus according to claim 6, wherein said commercial information includes at least image data.

15. (Previously Presented)                      The receiving apparatus according to claim 14, wherein said commercial information further includes audio data.

16. (Currently Amended)                      A receiving method, comprising the steps of:

receiving a signal including a plurality of commercial information and electronic program guide information;

displaying commercial information in a part of a display area and an electronic program guide screen having program columns corresponding to a plurality of programs on the basis of the received electronic program guide information;

moving a cursor onto one program column on said electronic program guide screen being displayed;

automatically and successively displaying in a single area of the display, shifted temporally from one another, for a program of a single program column or a plurality of program columns a plurality of said commercial information provided by a commercial information sponsor of the program displayed at each program column included in the one program onto which the cursor has been moved, in said part of the display area on said electronic program guide screen;

displaying a remote network server address of a commercial information sponsor of the program;

enabling a user to select the remote network server address;

displaying, in response to said selection, detailed information of the commercial information; and

selectively picking program content data from a plurality of program content regions and combining the selectively picked program content data from said plurality of program content

regions with transmitted screen layout data and previously stored standard screen layout data to create said program guide screen;

wherein the display area further includes a sound output area for controlling the sound output of the commercial information,

wherein said program content data includes at least three types of data that include modifiable data, fixed data and comparatively large-sized data; and

wherein the modifiable data includes a broadcast schedule of a program and a first reference number to the fixed data, the fixed data includes a name of the program, a second reference number to the modifiable data, and a third reference number to the comparatively large-sized data, and the comparatively large-sized data includes sound data and video data of a commercial, and

wherein a plurality of commercials are successively displayed on a same program guide screen that displays program details for a single program, and

wherein said selectively picked program content data are categorized in at least two types of data with different structures and formats.

17. (Previously Presented) The receiving method according to claim 16, wherein when one program column is selected on said electronic program guide screen, a program details screen showing in detail the program corresponding to the program column selected, and plural items of commercial information included in the program are sequentially displayed in a part of the display area on said program details screen.



18. (Previously Presented)                      The receiving method according to claim 17,  
wherein when commercial information being displayed in said part of the display area on said  
program details screen is designated, a commercial details screen showing in detail the  
designated commercial information is displayed.

19. (Previously Presented)                      The receiving method according to claim 16,  
wherein when commercial information being displayed in said part of the display area on said  
electronic program guide screen is designated, a commercial details screen showing in detail the  
designated commercial information is displayed.

20. (Previously Presented)                      The receiving method according to claim 16,  
wherein said commercial information is commercial information of sponsors for providing said  
programs.

21. (Previously Presented)                      The receiving method according to claim 16,  
wherein said commercial information includes address information of a computer on a computer  
network for providing detailed information of said commercials.

22. (Currently Amended)                      A transmitting-receiving system, comprising:  
  
a transmitting apparatus for transmitting a signal including a plurality of commercial  
information and electronic program guide information; and  
  
a receiving apparatus for receiving said signal, said receiving apparatus:

displaying commercial information in a part of a display area and an electronic program guide screen having program columns corresponding to a plurality of programs on the basis of the electronic program guide information;

moving a cursor onto one program column on said electronic program guide screen being displayed;

automatically and successively displaying in a single area of the display, shifted temporally from one another, for a program of a single program column or a plurality of program columns a plurality of said commercial information provided by a commercial information sponsor of the program displayed at each program column included in the one program onto which the cursor has been moved, in said part of the display area on said electronic program guide screen;

displaying a remote network server address of a commercial information sponsor of the program;

enabling a user to select the remote network server address;

displaying, in response to said selection, detailed information of the commercial information; and

selectively picking program content data from a plurality of program content regions and combining the selectively picked program content data from said plurality of program content regions with transmitted screen layout data and previously stored standard screen layout data to create said program guide screen;

wherein the display area further includes a sound output area for controlling the sound output of the commercial information,

wherein said program content data includes at least three types of data that include modifiable data, fixed data and comparatively large-sized data; and

wherein the modifiable data includes a broadcast schedule of a program and a first reference number to the fixed data, the fixed data includes a name of the program, a second reference number to the modifiable data, and a third reference number to the comparatively large-sized data, and the comparatively large-sized data includes sound data and video data of a commercial, and

wherein a plurality of commercials are successively displayed on a same program guide screen that displays program details for a single program, and

wherein said selectively picked program content data are categorized in at least two types of data with different structures and formats.

23. (Previously Presented)                      The system according to claim 22, wherein said commercial information is commercial information of sponsors for providing said programs.

24. (Previously Presented)                      The system according to claim 22, wherein said commercial information includes address information of a computer on a computer network which provides detailed information of said commercials.

25. (Previously Presented)                      The system according to claim 22, wherein said commercial information includes at least image data.

26. (Previously Presented) The system according to claim 25, wherein said commercial information further includes audio data.

27. (Previously Presented) The information transmitting method according to claim 1, wherein when a cursor is moved onto one program column on said electronic program guide screen, display processing is performed to automatically display for a single program column or a plurality of program columns in sequence a plurality of commercial information included in one program onto which the cursor has been moved in said part of the display area on said electronic program guide screen.

28. (Previously Presented) The receiving apparatus according to claim 6, wherein when a cursor is moved onto one program column on said electronic program guide screen, said processor performs display processing to sequentially display a plurality of commercial information included in one program onto which the cursor has been moved in said part of the display area on said electronic program guide screen.

29. (Previously Presented) The receiving method according to claim 16, wherein when a cursor is moved onto one program column on said electronic program guide screen, display processing is performed to sequentially display a plurality of commercial information included in one program onto which the cursor has been moved in said part of the display area on said electronic program guide screen.

30. (Previously Presented) The system according to claim 22, wherein when a cursor is moved onto one program column on said electronic program guide screen, display processing is performed to sequentially display a plurality of commercial information included in one program onto which the cursor has been moved in said part of the display area on said electronic program guide screen.

31. (Currently Amended) An information-transmitting method for transmitting program guide information, the method comprising the steps of:

processing a plurality of commercial information that corresponds to the program guide information and that is automatically displayed for a single program column or a plurality of program columns on a program guide screen in a receiver and is transmitted together with the program guide information;

wherein, when a cursor is moved onto a program of a program column of the program guide screen, each of the commercial information provided by a commercial information sponsor of the program displayed at each program column is displayed successively in a single area of the display, shifted temporally from one another; and

wherein program content data of the program guide information includes at least three types of data that include modifiable data, fixed data and comparatively large-sized data; and

wherein the modifiable data includes a broadcast schedule of a program and a first reference number to the fixed data, the fixed data includes a name of the program, a second reference number to the modifiable data, and a third reference number to the comparatively

large-sized data, and the comparatively large-sized data includes sound data and video data of a commercial, and

wherein the program guide screen further includes a sound output area for controlling the sound output of the commercial information; and

wherein a plurality of commercials are successively displayed on a same program guide screen that displays program details for a single program, and

wherein the commercial information includes a remote network server address information.

32. (Currently Amended) A receiving apparatus for receiving a signal including a plurality of commercial information and electronic program guide information, the receiving apparatus comprising:

processor for displaying the plurality of commercial information in a part of a display area and an electronic program guide screen including program columns corresponding to a plurality of programs based on the received electronic program guide information;

wherein, when a cursor is moved onto a program of a program column of the program guide screen, the processor performs display processing to automatically and successively display in a single area of the display, shifted temporally from one another, for a single program column or a plurality of program columns the plurality of commercial information provided by a commercial information sponsor of the program displayed at each program column in the part of the display area on the electronic program guide screen,

wherein program content data of the program guide information includes at least three types of data that include modifiable data, fixed data and comparatively large-sized data; and

wherein the modifiable data includes a broadcast schedule of a program and a first reference number to the fixed data, the fixed data includes a name of the program, a second reference number to the modifiable data, and a third reference number to the comparatively large-sized data, and the comparatively large-sized data includes sound data and video data of a commercial, and

wherein the display area screen further includes a sound output area for controlling the sound output of the commercial information, and

wherein a plurality of commercials are successively displayed on a same program guide screen that displays program details for a single program, and

wherein the processor displays a remote network server address of the commercial information sponsor of the program and enables a user to select the remote network server address and, in response to said selection, display detailed information of the commercial information.

33. (Currently Amended) A receiving method, comprising the steps of:  
receiving a signal including a plurality of commercial information and electronic program guide information;

displaying the plurality of commercial information in a part of a display area and an electronic program guide screen having program columns corresponding to a plurality of programs on the basis of the received electronic program guide information;

moving a cursor onto one program column on the electronic program guide screen being displayed;

automatically and successively displaying in a single area of the display, shifted temporally from one another, for a program of a single program column or a plurality of program columns a plurality of commercial information provided by a commercial information sponsor of the program displayed at each program column included in the one program onto which the cursor has been moved, in the part of the display area on the electronic program guide screen;

displaying a remote network server address of a commercial information sponsor of the program;

enabling a user to select the remote network server address; and

displaying, in response to said selection, detailed information of the commercial information,

wherein program content data of the program guide information includes at least three types of data that include modifiable data, fixed data and comparatively large-sized data; and

wherein the modifiable data includes a broadcast schedule of a program and a first reference number to the fixed data, the fixed data includes a name of the program, a second reference number to the modifiable data, and a third reference number to the comparatively large-sized data, and the comparatively large-sized data includes sound data and video data of a commercial, and

wherein a plurality of commercials are successively displayed on a same program guide screen that displays program details for a single program, and



wherein the display area further includes a sound output area for controlling the sound output of the commercial information.

34. (Currently Amended) A transmitting-receiving system, comprising:  
a transmitting apparatus for transmitting a signal including a plurality of commercial information and electronic program guide information; and  
a receiving apparatus for receiving the signal, the receiving apparatus:  
a display apparatus to display commercial information in a part of a display area and an electronic program guide screen having program columns corresponding to a plurality of programs on the basis of the received electronic program guide information; and

wherein the display area further includes a sound output area for controlling the sound output of the commercial information, and

wherein the transmitting-receiving apparatus automatically and successively displays in a single area of the display, shifted temporally from one another, for a program of a single program column or a plurality of program columns a plurality of commercial information provided by a commercial information sponsor of the program displayed at each program column included in the one program onto which a cursor has been moved, in the part of the display area on the electronic program guide screen, and

wherein program content data of the program guide information includes at least three types of data that include modifiable data, fixed data and comparatively large-sized data; and

wherein the modifiable data includes a broadcast schedule of a program and a first reference number to the fixed data, the fixed data includes a name of the program, a second

reference number to the modifiable data, and a third reference number to the comparatively large-sized data, and the comparatively large-sized data includes sound data and video data of a commercial, and

wherein a plurality of commercials are successively displayed on a same program guide screen that displays program details for a single program, and

wherein the receiving apparatus causes the display apparatus to display a remote network server address of the commercial information sponsor of the program and enables a user to select the remote network server address and, in response to said selection, display detailed information of the commercial information.

35. (Currently Amended)                      A method of displaying commercial data on an electronic program guide, comprising:

receiving the electronic program guide information and a plurality of commercial information;

displaying on a display the electronic program guide information having program columns corresponding to a plurality of programs;

in response to moving a cursor onto a program of a program column, shifted temporally from one another, automatically and successively displaying in a single area of the display, a plurality of commercial information in a part of the display of the electronic program guide; and

displaying a remote network server address of a commercial information sponsor of the program;

enabling a user to select the remote network server address;

displaying, in response to said selection, detailed information of the commercial information,

wherein program content data of the program guide information includes at least three types of data that include modifiable data, fixed data and comparatively large-sized data; and

wherein the modifiable data includes a broadcast schedule of a program and a first reference number to the fixed data, the fixed data includes a name of the program, a second reference number to the modifiable data, and a third reference number to the comparatively large-sized data, and the comparatively large-sized data includes sound data and video data of a commercial, and

wherein the display further includes a sound output area for controlling the sound output of the commercial information, and

wherein a plurality of commercials are successively displayed on a same program guide screen that displays program details for a single program, and

wherein each of the plurality of commercial information is provided by a commercial information sponsor of the program displayed at each program column.

36. (Canceled)

37. (Previously Presented)                      The transmitting-receiving system of claim 34, wherein the transmitting apparatus further comprises:

an output management data producer to provide management information for a plurality of programs in the EPG including program broadcast time;

an EPG editor to receive the management information and commercial information and to provide EPG data;

a multiplexer to combine encoded audio/visual program data synchronized with the EPG data and produce an EPG transmission signal for transmission.

wherein the EPG data has program content data on the programs of each broadcasting channel during a predetermined time interval that hierarchically includes (1) broadcasting form data for regular program, for rebroadcasting programs, for broadcasting programs at a key station, or for broadcasting at a local station; (2) group data that is common in a plurality of programs of the broadcasting form data arranged as a single program; and (3) detailed contents data including respective programs of the broadcast form data and the particular information group data.

*REMAINDER OF THIS PAGE INTENTIONALLY LEFT BLANK*